



MOBILE SHOWER COMMODE RANGE

(Formerly **ottobock.**)



aspire for... Comfort Support Protection

NEW FEATURES



Improved Over Toilet Clearance



Angle Adjustable Backrest



Customisable Ultra Low Seat

www.aspirecare.com.au 1300 133 120

460MM SHOWER COMMODES

Weight Bearing Platform



Easy-slide weight bearing platform footrest slides completely away for transfers





Swing Away Footrests



Angle adjustable backrest from 8° to 18° for improved seating comfort



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height		Anterior Seat Height	Posterior Seat Heigh
BTC066000	WB Platform - 460mm - Att Propelled - S/Steel	995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066200	WB Platform - 460mm - Self Propelled - S/Steel	995mm	665mm	460mm	305mm	225mm	590mm	560mm
BTC065900	Swing Away Footrest - 460mm - Att Propelled - S/Steel	895 - 995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066100	Swing Away Footrest - 460mm - Self Propelled - S/Steel	895 - 995mm	665mm	460mm	305mm	225mm	590mm	560mm

🦪 aspire

Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x total locking stainless steel castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)

Height adjustable, swing away footrests for optimal positioning and ease of transfers

530MM SHOWER COMMODES

Weight Bearing Platform



Commode is registered in t






Swing Away Footrests





Ultra low seat height of 590mm which can be reduced to 490mm when customised



BTC066060 Swing Away - 530mm - Att Propelled - S/Steel





Overall

Height

995mm

995mm

995mm



Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x total locking stainless steel castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)

Height adjustable, swing away footrests for optimal positioning and ease of transfers

Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
605mm	530mm	305mm	225mm	590mm	560mm
735mm	530mm	305mm	225mm	590mm	560mm
605mm	530mm	305mm	225mm	590mm	560mm
735mm	530mm	305mm	225mm	590mm	560mm

600MM SHOWER COMMODES

Weight Bearing Platform



Height adjustable reinforced armrests offer drop flat positioning to assist with lateral slide transfers



Easy-slide weight bearing platform footrest slides completely away for transfers

Swing Away Footrests



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Angle adjustable backrest from 8° to 18° for improved seating comfort



Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm



Height adjustable, swing away footrests for optimal positioning and ease of transfers

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height			Posterior Seat Height
BTC061400	WB Platform - 600mm - Att Propelled - S/Steel	995mm	725mm	600mm	300mm	290mm	590mm	560mm
BTC061300	Swing Away - 600mm - Att Propelled - S/Steel	995mm	675mm	600mm	305mm	225mm	590mm	560mm
BTC061305	Swing Away - 600mm - Self Propelled - S/Steel	995mm	805mm	600mm	305mm	225mm	590mm	560mm



Integrated Features

- Heavy duty reinforced wide frame can support bariatric users up to 400kg
- 4x total locking stainless steel castors provide brake access from all angles



Integrated Features

- 8° backrest angle ensures patient comfort
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- 4x total locking stainless steel castors provide brake access from all angles

• Self Propelled Model Available



See page 8 for seat options (sold separately)

TILT & RECLINE SHOWER COMMODES

Swing Away Footrests with Calf Pad

Commode is registered in th ARTG, AUST R ARTG 286695



Height adjustable, swing away footrests with calf pads for optimal positioning, support and ease of transfers varying needs

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066030	Swing Away - 460mm - Tilt & Recline	1315 - 1485mm	560mm	460mm	900mm	275mm	460 - 630mm	460 - 620mm
BTC066040	Swing Away - 530mm - Tilt & Recline	1315 - 1485mm	630mm	530mm	900mm	275mm	460 - 630mm	460 - 620mm





Integrated Features

• 30° of backrest angle adjustment in 10° increments for effortless repositioning and maximum user comfort



• -5° to 35° of gas-assisted tilt-in-space functionality minimises manual handling efforts during the showering process



- 4x total locking stainless steel castors provide brake access from all angles
- Open back straps provide greater access for bathing needs
- Backrest may be configured as full length or 3/4 length to accommodate an advanced headrest







See page 8 for seat options (sold separately)

adjustment to 4 settings allow the commode to be easily adapted to

Swing Away Footrests





Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061200	Bariatric Shower Commode	990mm	900mm	790mm	430mm	170mm	570mm	570mm

🦪 aspire

Integrated Features

• Super Heavy Duty Bariatric design with 790mm seat and 350kg SWL

Â



- Anti-bacterial frame coating for improved infection control
- Removable arms to assist with positioning and allow lateral slide transfers
- Height adjustable, swing away footrests for optimal positioning and ease of transfers







ALUMINIUM SHOWER COMMODES

Attendant Propelled

Commode is registered in the ARTG, AUST R ARTG 284644

Height adjustable, swing away footrests for optimal positioning and ease of transfers


4x total locking, height adjustable stainless steel castors provide brake access from all angles

Self Propelled

24 inch lightweight self propelling wheels with hand brakes and anti-tippers



Code	Description	Overall Height			Backrest Height		Anterior Seat Height	Posterior Seat Height
BTC068010	Aluminium Commode - Attendant Propelled	990 - 1040mm	460mm	440mm	495mm	220mm	525 - 580mm	525 - 580mm
BTC068020	Aluminium Commode - Self Propelled	970 - 995mm	610mm	440mm	490mm	235mm	525 - 570mm	525 - 580mm









Integrated Features

- Ideal for in home and community use
- Lightweight Aluminium design
- Easy clean, padded seat, back and arms



• Tool free height adjustment allows the commode to be easily adapted to varying needs



- Swing back comfort arms assist transfers
- Bowl and carrier for improved infection control







🦪 aspire

DVA Contracted

460mm

460mm

530mm

600mm

Description Width

ACCESSORIES



Padded Commode Seats

• Moulded and seamless soft PU seats designed for comfort and durability

- Easy clean, fully sealed surface for infection control
- Choose the size appropriately to fit your Aspire Shower Commode
- Adaptable to most shower commode brands

M6 Tri Nut assembly kit needed for seat attachment. Comes as standard with all commodes. Available as a spare part if lost (GSP342405)

Hand Made Pressure Reducing Commode Seats



- Hand made pressure care seat surface designed for comfort during extended use and
 pressure injury prevention
- European Dartex anti-microbial four-way stretch fabric is waterproof and breathable
- Multi-layered foam, with memory foam top layer, to maximise immersion and envelopment for pressure distribution
- Sealed seams for infection control management
- Adaptable seat attachment to suit all shower commode brands
- Max seat height: 65mm
- Fully customisable options to suit specific needs (see script form at www.aidacare.com.au or attached or on pages 10 and 11)





Code	Description	Width
BTC089122	Pressure Reducing - Open Front	320mm
BTC089124	Pressure Reducing - Closed Front	320mm
BTC089126	Pressure Reducing - Open Front	400mm
BTC089128	Pressure Reducing - Closed Front	400mm
BTC089130	Pressure Reducing - Open Front	460mm
BTC089140	Pressure Reducing - Closed Front	460mm
BTC089150	Pressure Reducing - Open Left	460mm
BTC089160	Pressure Reducing - Open Right	460mm
BTC089170	Pressure Reducing - Open Front	500mm
BTC089180	Pressure Reducing - Closed Front	500mm
BTC089190	Pressure Reducing - Open Front	550mm
BTC089200	Pressure Reducing - Closed Front	550mm
BTC089210	Pressure Reducing - Open Front	600mm
BTC089220	Pressure Reducing - Closed Front	600mm
BTC089230	Pressure Reducing - Open Front	650mm
BTC089240	Pressure Reducing - Closed Front	650mm

Code

BTC066600 Open Seat

BTC066700 Closed Seat

BTC066750 Open Seat

BTC066800 Open Seat

Code Description BTC089250 Pressure Reducing - Customised (See Script Form)



ROHO® Padded Seats

- High level pressure relief for high needs users
- Interconnected air cells help disperse pressure
- Includes cover
- Fully washable

Co	ode	Description
BT	C067500	Closed Seat - 380mm x 425mm
BT	C067900	Closed Seat - 425mm x 425mm
BT	C067600	Closed Seat - 425mm x 470mm
BT	C067300	Closed Seat - 470mm x 470mm

DVA Contracted



Self Propelling Conversion Kit

- Converts Attendant Propelled Shower Commodes into Self Propelling version not compatible with Bariatric (BTC061200, BTC061400), Tilt & Recline (BTC066030, BTC066040) or Aluminium Shower Commodes (BTC068010, BTC068020).
- Self propelling kit includes:
- 22" solid wheels with black spokes and push rims;
- Quick release axles and mounting hardware;
- Anti-tippers with roller wheels; and
- Clamp-on hand brakes





Commode Bowl & Pan Carrier

• Stainless steel carrier slides easily into mobile shower commode frame under seat

Shower Commode Accessories are

- Carries a commode bowl with lid, or standard size bed pan
- Rear access handle

CodeDescriptionBTC066400Pan Carrier - 460mm - 600mm

Elevating Legrests

- Assists in leg and foot positioning or elevation, most commonly to treat oedema
- Legrest is angle adjustable to six positions
- Footplate is height and angle adjustable
- Fits all Aspire Shower Commodes with swing away legrests

Code	Description
BTC067108	Left (swing away commode models only)
BTC067109	Right (swing away commode models only)
BTC067110	Left (tilt and recline commode models only)
BTC067115	Right (tilt and recline commode models only)

Advanced Headrest

- Height and depth adjustable padded headrest for head and neck positioning and support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable to other brands

Code Description BTC067050 Advanced Headrest

Oxygen Bottle Carrier

- 140mm diameter stainless steel holder suits sizes Oxygen Bottle sizes C to D
- Adaptable clamp fits most shower commode brands

Code Description

BTC067200 Oxygen Bottle Carrier

Adjustable IV Pole

- Clamp-on stainless steel pole to organise
- intravenous equipment
- Height adjustable
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067103	Adjustable IV Pole











- Assists in the collection of waste
- Bowl with lid & handle for discreet disposal
- Bowl washable to 95°

All Aspire Shower Commode Accessories are DVA Contrac

• Bed pan autoclavable

Code	Description
BTC081610	Commode bowl w/lid & handle
BTT151800	Bed Pan

Stump Support

- Adjustable support for amputees
- Fits both left and right side on all Aspire Shower Commodes (except BTC061200, BTC068010 & BTC068020)
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067105	Stump Support



Lateral Supports

- Width and height adjustable thoracic positioning and lumbar spine support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable clamp also fits other shower commode brands

Code	Description
WCA867010	Lateral Supports

Adjustable Pelvic Belt

- Adjustable belt to assist with pelvic and lower thoracic positioning and safety
- Durable and washable to 95°
- Plastic buckle reduces chill when in contact with users skin

Code	Description
BTC067100	Adjustable Pelvic Belt

Technical Support

For technical support, including user manuals or spare parts, and for further information please contact Aidacare on:

www.aidacare.com.au

1300 133 120



SCRIPT FORM

🦪 aspire

ACCESSORIES MATRIX

Custom Made Shower Commode Seats - Script Form


lient		Date:		
ame:		Email:		
hone:		Fax:		
ddress:				
herapist				
		Email:		
ame:				
hone:		Fax:		
idacare Representative				
ame:		Email:		
ease complete all relevant de	etails below in 1 to 7 and so	end completed scri	pt form to <u>commodesea</u>	nts@aidacare.com.a
Please choose one:	Order - Please provide order #:		or 🗌	Quote Request
2 Which brand of shower c	ommode will the seat be attach	ed to? (Required fo	or attachment type):	
3 Choose your Fabric				
PU Coated 4 way Stretch (Standard seat thickness 30mm memory foam top	s 70mm with		l Grade White Vinyl ard seat thickness 50mm)	5
somm memory roam toj	(induced)			
4 Choose your Seat Config	uration (MUST CHOOSE ONE)	5	Optional Seat Config (CHOOSE ONE, BOTH OR N	
				$\left[\begin{array}{c} 0 \\ 0 \\ \end{array}\right]$
Closed Front Oper	n Front Open Right	Open Left	Right Bite (Not with Open Right)	Left Bite (Not with Open Left)
6 Specify Relevant Seat Dir	nensions		•	
MEASURE DIMENSION	S (MM) MEASURE	DIMENSIONS (MM)		
1 Seat Width	8 Left Bite Depth (from side)			
2 Seat Depth	9 Left Bite Opening			Front o
3 Hole Length	10 Right Bite from Rear		00 · · · · · · · · · · · · · · · · · ·	3 De Commo Seat
4 Hole Width 5 Hole From Rear	11 Right Bite Depth (from sid 12 Right Bite Opening	e)		
6 Hole Opening	Soot Thicknoss (Std for Pl	1	0	•
7 Left Bite from Rear	13 is 70mm / Vinyl is 50mm))	0	
			0	¥
Additional Information -	Notes:			
Office Use Only:				
eceived by:				
eceived by:				
eceived by:		Completed date:		

Ż

ASPIRE SHOW	ER COMMODES MATRIX							
Code	Accessories		BTC066000	BTC066200	BTC066050	BTC066055	BTC061400	
			WB Platform					
		DVA:	BE04	BE04	BE04	BE04	BE04	
Padded Seats								
BTC066600	460mm Open	BE04						
BTC066700	460mm Closed	BE04						
BTC066750	530mm Open	BE04						
BTC066800	600mm Open	BE04						
Hand Made Pr	essure Seat - Customisatio	on Avail	able					
BTC089130	460mm Open Front	BE04						
BTC089140	460mm Closed Front	BE04						
BTC089150	460mm Open Left	BE04						
BTC089160	460mm Open Right	BE04						
BTC089170	500mm Open Front	BE04						
BTC089180	500mm Closed Front	BE04						
BTC089190	550mm Open Front	BE04						
BTC089200	550mm Closed Front	BE04						
BTC089210	600mm Open Front	BE04						
BTC089220	600mm Closed Front	BE04						
BTC089230	650mm Open Front	BE04						
BTC089240	650mm Closed Front	BE04						
ROHO Padded	Seat - Additional Accesso	ry for S	eats					
BTC067500	425mm Closed	BE04						
BTC067900	425mm Closed	BE04						
BTC067600	470mm Closed	BE04						
BTC067300	470mm Closed	BE04						
Other Accesso	ries							
BTC082900	Self Propelling Kit	BE04						
BTC066400	Pan Carrier	BE04						
BTC081610	Commode Bowl	BE04						
BTT151800	Bed Pan	BE04						
BTC067108	Elevating Leg Rest - L	BE04						
BTC067109	Elevating Leg Rest - R	BE04						
BTC067110	Elevating Leg Rest - L	BE04						
BTC067115	Elevating Leg Rest - R	BE04						
BTC067105	Stump Support	BE04						
BTC067050	Advanced Head Rest	BE04						
WCA867010	Lateral Support	BE04						
BTC067200	Oxygen Bottle Carrier	BE04						
BTC067100	Adjustable Pelvic Strap	BE04						








1300 133 120 | www.aspirecare.com.au

aspire Associated products



www.aspirecare.com.au 1300 133 120